

ally



RAILING

ALUMINIUM WINDOWS

UPVC WINDOWS

GLASS PARTITIONS

DESIGN | MANUFACTURE | FABRICATE | INSTALL

About Us

Incepted in the year 2011, ALLY DZINE SERVICES PRIVATE LIMITED has been actively engaged in the arena of manufacturing and importing, a rich assortment of utility products such as Handrail, Window Blinds, Washroom panel, Wallpaper, Shower Cubicle, Wooden Flooring. We pay special attention to understand the aesthetic requirement of our clients & associates, as we strongly believe in offering products that are at par with our clients expectations, with a perspective to offer our clients with the best of décor products, we have strived to diligently work on developing newer and innovative styles in designing our garnet. We have blended the traditional and contemporary designs in our range, with an aim to create a universal appeal for our versatile range of product.

Ally's Advantage

- Striving to meet the demands of all projects
- Great attention has been paid to maintaining safety and aesthetic hand in hand.
- Flexibility – Easily assemble or disassemble & customized as per site condition.
- No aesthetic compromises
- Fast installation with flawless designs.
- Minimal Site Impact – Low interference with other traders.
- Each & every structure is unique in its design & geometry with this in mind ally's range of fixing techniques allows for flexibility and adaptation without aesthetic compromise.

PRODUCTS



1

RAILING SYSTEMS



2

ALUMINIUM WINDOWS



3

UPVC WINDOWS



4

GLASS PARTITIONS

RAILING SYSTEMS

1

ADA Series
 Aluminium Glass Railing System

2

ADS Series
 Spigot Glass Railing System

3

ADV Series
 SS vertical Glass Railing System

4

ADM Series
 Midrail Railing System

5

ADW Series
 Wall mounted Railing System

6

ADG Series
 Shower & Glass partition System



ADA Series

Aluminium Glass Railing System


This is a truly minimalist design with **pre engineered** aluminum profile where the steel & wood upright have been eliminated & seamless glass railing look provided with equivalent strength and security.

Also give advantage to speed up installation with great aesthetic look.


Glass and Aluminium do not corrode over the time with exposed to weather and water.



ally



AD 01



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed Side
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft. 16ft

 EASY INSTALLATION


 MAINTENANCE FREE

 WEATHER PROOF


 EASY CLEANING

 100% RECYCLABLE

 CORROSION RESISTANCE



AD 02



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft.

 EASY INSTALLATION

 MAINTENANCE FREE

 WEATHER PROOF


 EASY CLEANING

 100% RECYCLABLE


 CORROSION RESISTANCE

ally

AD 02B



AD 03



TYPE :	Bracket Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE

03



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE

04

AD 04



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat


 EASY INSTALLATION
 EASY CLEANING

 MAINTENANCE FREE
 100% RECYCLABLE

 WEATHER PROOF
 CORROSION RESISTANCE



AD 05



TYPE :	Bracket Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat

 EASY INSTALLATION
 EASY CLEANING


 MAINTENANCE FREE
 100% RECYCLABLE

 WEATHER PROOF
 CORROSION RESISTANCE


ally



AD 06



AD 07



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING





100% RECYCLABLE



CORROSION RESISTANCE

07



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING



100% RECYCLABLE





CORROSION RESISTANCE

08

AD 08

AD 09



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF





EASY CLEANING



100% RECYCLABLE



CORROSION RESISTANCE



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING





100% RECYCLABLE



CORROSION RESISTANCE

ally

AD 10



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970 (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING




100% RECYCLABLE



CORROSION RESISTANCE

11



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Side Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm to 19mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING



100% RECYCLABLE




CORROSION RESISTANCE

12

ally

AD 11B



TYPE :	Bracket Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm 19mm
FINISH :	Anodized Powder Coat Wood Coat

- EASY INSTALLATION
- EASY CLEANING



- MAINTENANCE FREE
- 100% RECYCLABLE

- WEATHER PROOF
- CORROSION RESISTANCE

13



AD 12



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970 (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat

- EASY INSTALLATION
- EASY CLEANING

- MAINTENANCE FREE
- 100% RECYCLABLE


- WEATHER PROOF
- CORROSION RESISTANCE

14

ally

AD 13

AD 14



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING




100% RECYCLABLE



CORROSION RESISTANCE

15



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING



100% RECYCLABLE



CORROSION RESISTANCE

16


alliy



AD 15



AD 16



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING




100% RECYCLABLE



CORROSION RESISTANCE

17



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING




100% RECYCLABLE



CORROSION RESISTANCE

18

AD 16B



TYPE :	Bracket Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING




100% RECYCLABLE



CORROSION RESISTANCE

AD 17



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING




100% RECYCLABLE



CORROSION RESISTANCE

alliy

AD 18



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING




100% RECYCLABLE



CORROSION RESISTANCE

21

AD 19



TYPE :	Bracket Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING



100% RECYCLABLE




CORROSION RESISTANCE

22

ally

AD 20



TYPE :	Bracket Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat


- EASY INSTALLATION
- EASY CLEANING

- MAINTENANCE FREE
- 100% RECYCLABLE

- WEATHER PROOF
- CORROSION RESISTANCE



AD 21



TYPE :	Bracket Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat


- EASY INSTALLATION
- EASY CLEANING

- MAINTENANCE FREE
- 100% RECYCLABLE

- WEATHER PROOF
- CORROSION RESISTANCE

alliy

AD 22





TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat

-  EASY INSTALLATION
-  EASY CLEANING

-  MAINTENANCE FREE
-  100% RECYCLABLE

-  WEATHER PROOF
-  CORROSION RESISTANCE

AD 23



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat


-  EASY INSTALLATION
-  EASY CLEANING

-  MAINTENANCE FREE
-  100% RECYCLABLE


-  WEATHER PROOF
-  CORROSION RESISTANCE

ally

AD 24




TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	60mm/pcs




26



AD 25



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft




26


ally




AD 26




TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft




26



AD 27




TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	25.5mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft




27


ally



AD 28




TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	900mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft




26



AD 29



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft





26

ally



AD 30



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	900mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING



100% RECYCLABLE





CORROSION RESISTANCE

26



AD 31



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING



100% RECYCLABLE




CORROSION RESISTANCE

26

ally



AD 32



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	60mm/pcs

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE

 100% RECYCLABLE


 WEATHER PROOF

 CORROSION RESISTANCE

26



AD 33



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE

 100% RECYCLABLE



 WEATHER PROOF

 CORROSION RESISTANCE


26

ally


AD 34




TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm to 17.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft





38



AD 35




TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	55mm/pcs




39

ally

AD 36




TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Side
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm, 13.52mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft





40



AD 37




TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Powder Coat Wood Coat
LENGTH :	12ft 16ft



41

HANDRAIL & ACCESSORIES



HR-01 (50X50mm Square Light)



HAND RAIL



WALL CONCEALED



CORNER CONNECTOR



STRAIGHT CONNECTOR




END CAP



HR-02 (40X40mm Square)



HAND RAIL



WALL CONCEALED



CORNER CONNECTOR



STRAIGHT CONNECTOR




END CAP




HR-03 (25X25mm)




HAND RAIL



WALL CONCEALED



CORNER CONNECTOR



STRAIGHT CONNECTOR



END CAP



HR-04 (50mm Round)



HAND RAIL



WALL CONCEALED



CORNER CONNECTOR



STRAIGHT CONNECTOR



END CAP

HANDRAIL & ACCESSORIES




HR-05 (65mm Round)



HAND RAIL



WALL CONCEALED



CORNER CONNECTOR




STRAIGHT CONNECTOR



END CAP




HR-06 (65X38mm)




HAND RAIL



WALL CONCEALED



CORNER CONNECTOR



STRAIGHT CONNECTOR



END CAP




HR-07 (50X50mm LED)




HAND RAIL



WALL CONCEALED



CORNER CONNECTOR



STRAIGHT CONNECTOR



END CAP




HR-08 (41X36mm)




HAND RAIL



WALL CONCEALED



CORNER CONNECTOR




STRAIGHT CONNECTOR




END CAP




HR-09 (82X38mm)




HR-10 (50X50mm Heavy)




HR-11 (42mm Round)




HR-12 (71X35mm)




HR-13 (71x35mm LED)




HR-14 (21X22mm)



HR-15 (19X18mm)



HR-16 (17mm)





ADS Series

Spigot Glass Railing System

This series is a minimalist balustrade design where steel upright have been minimized and the glass guarding is specified to offer equivalent strength and security.

This series also gives the unrestricted view to the design of the flooring and wall as well as provides more lighting due to its minimalistic design.







ally



ally



ally





ally





ADV Series

SS vertical Glass Railing System

This series reduces glass panel sizes and allow equal spacing between uprights. The system is highly customizable where we can design the railing system as per the requirement of the client without compromising on the safety and aesthetics.






ADV Series - 01

ally










ally






ally



ally




ally







all






ADM Series

Midrail Railing System

This series is beauty without glass panel. Give excellent strength & aesthetic look with steel in economic range. This system is very easy to maintain due to the property of the steel.













ADW Series

Wall mounted Railing System

Elegant solution for glass partition and wall mount railing providing sufficient space for hand to grip the top rail.



ally



ALUMINIUM & UPVC WINDOW SYSTEMS



SLIDING WINDOW



UPVC WINDOWS



CASMENT WINDOWS






PARTITIONS

The logo for 'aivy' is displayed in white lowercase letters on a dark square background.

ALUMINIUM SLIDING WINDOW SYSTEM

USE:	Indoor & Outdoor
MATERIAL:	Aluminium Alloy 6063
GLASS THICKNESS:	5mm 6mm 8mm DGU Laminated Sentry
FINISH:	Anodized Powder Coat Wood Coat
SERIES:	Domal Series Ventana Series Slim Series



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING



100% RECYCLABLE



CORROSION RESISTANCE



ally



UPVC SLIDING WINDOW SYSTEM

USE:	Indoor & Outdoor
MATERIAL:	UPVC
GLASS THICKNESS:	5mm 6mm 8mm DGU Laminated Sentry
FINISH:	White Powder Coat Wood Coat
SERIES:	60mm Series 88mm Series 108mm Series



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING



100% RECYCLABLE



CORROSION RESISTANCE




ally



CASEMENT WINDOW SYSTEM

USE:	Indoor & Outdoor
MATERIAL:	Aluminium Alloy 6063
GLASS THICKNESS:	5mm 6mm 8mm DGU Laminated Sentry
FINISH:	Anodized Powder Coat Wood Coat
SERIES:	40mm Series 50mm Series



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING



100% RECYCLABLE



CORROSION RESISTANCE





Glass Partition System



ADG Series

Shower & Glass partition System

This give perfect solution for glass partition and shower cubical with full safety and aesthetic.








Shower System

"Few clients / projects we are associated with..."



We promise -
you benefit

As railing expert, we offer you all the support you need - from planning to the finished result. Would you like to place an order, or do you need a customised solution for your project?

We are here to assist and advise you.



www.allydzine.in

Mumbai | Pune | Udaipur

Ally Dzine Services Pvt. Ltd.

Shop No. 4, Assu Villa, Shobhagpura, 100 Ft. Road
Opp. State Bank of India, Udaipur - 313001

Headoffice :

Shop No. 5, A/18 Shanti Dham Society,
Behind Royal College, Mira Road (E)
Mumbai - 401107

Rahul Kothari

+91 9004702211

Rahul.allydzine@gmail.com

Arvind Sharma

+91 9920035992

Arvind.allydzine@gmail.com

Naresh Bhojwani

+91 9833513744

Naresh.allydzine@gmail.com